EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/1562/162/06/24/1456

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer :	CORTINA NV MEERSBLOEM-MELDEN42, B-9700 O BELGIUM	UDENAARDE	
Description			
PPE Type :	protective glove against mechanical	risks	
Product reference :	ECO ALLFLEXDOT		
Article code :	/		
Glove description :	15 Gauges Recycled Nylon, Carbon Fibre Knitted Glove, Palm Coated Nitrile, Foam Surface with Nitrile Dots		
Available sizes : Pictures :	7; 8; 9; 10; 11	ECO ALLFLEXDOT EN ISO 21420 CAT.II Size 9 CA 4X31A 05/2024 O/310337 CATERIS JOGGER ALLFLEXDOT All 3 2 O/310337	

Reference standard :

Levels of performance / class of protection

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material. « 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020 EN 388:2016 + A1:2018

4 X 3 1 A

At the date of the certificate, the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the user instructions index 01 dated from July 2024.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by Séverine AUBERT Certification team leader

In application of the Regulation 2016/425 of the European parliament



Date of first issue: 08 July 2024 Date of end of validity: 08 July 2029



and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC. cofrac

Accreditation n# 5-0594 Scope available on:

www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

CORTINA NV

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	ECO ALLFLEXDOT
Article code	:	1
Technical file index	:	01
Last update	:	July 2024

IDENTIFICATION

Reference of the product :	:	ECO ALLFLEXDOT
Article code :	:	/
Basic Model		
Technical file index :	:	01
Last update :	:	July 2024

Manufacturer :

CORTINA NV

MEERSBLOEM-MELDEN42, B-9700 OUDENAARDE

BELGIUM

tel : +32 55 33 57 05 fax : /

Factory :

HUIHONG (NANTONG) SAFETY PRODUCTS CO., LTD.

108 HUAIHE ROAD, RUDONG ECONOMIC DEVELOPMENT ZONE, NANTONG, JIANGSU

CHINA

tel: 86-513 8453 6066 fax: /

GLOVE DESCRIPTION

General glove description and intended use:

15 Gauges Recycled Nylon, Carbon Fibre Knitted Glove, Palm Coated Nitrile, Foam Surface with Nitrile Dots This glove is designed against mechanical risks. Type of coating finish : foam

Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE		Standard Standard	
			Instruction for use	
			🛛 Marking	
§1.4	Manufacturer's instructions and information is available		Standard Standard	
			Instruction for use	
			Marking	
	PPE which may be caught up during use		Standard	
§2.5			Instruction for use	
			Marking	
	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	\boxtimes	Standard Standard	
§2.12			Instruction for use	
			🛛 Marking	
	The PPE is intended to protect against mechanical injuries	\boxtimes	Standard Standard	
§3.3			Instruction for use	
			☑ Marking	

Glove constitution :

	Reference	Color	Material	Surfacic mass (g/m²)	Gauges	Thickness
Palm		BLACK	NITRILE & NITRILE DOTS			0.5mm (NITRILE) + 0.55mm (DOTS)
		GREY	RECYCLED NYLON & CARBON FIBRE	180	15	
Back		GREY	RECYCLED NYLON & CARBON FIBRE	180	15	
Cuff		GREY/ WHITE	GREY RECYCLED NYLON & CARBON FIBRE WITH WHITE ELASTIC	360	15	
Binding	BIN-01	GREEN, BLUE, BLACK, BROWN, YELLOW, RED, PINK	POLYESTER			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed against mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

5

Dexterity :

Available size range: 7; 8; 9; 10; 11

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B table B.1

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Mechanical hazard EN 388:2016 + A1:2018

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	X
Tear strength resistance	3
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	A
Impact Protection	N/A

The levels of performance have been measured on the palm.

TEST REPORTS

Laboratory	CTC	Other
	D240407296_1 D200812815_2 D210303355_1 D220714844_1	
EN 388	D240407296_1	
Other		GZHT91249824(ANSI cut; abrasion; punture)

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer : Logo ((Glove's reference : ECO ALLFLEXDOT Article Code : / Size indicator Pictograms related to risks against which protection is offered with performance levels Information pictogram Address of Manufacturer : Date of Manufacture (month/year) and/or serial/batch number : Date of obsolescence (month/year) if applicable:

Marking example :



Method of marking on the glove :

Printed on the back: top part of marking; Stitched inside cuff: bottom part for production date, order number and address.

Packaging suitable for transport:

carton packaging

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Cleaning instructions:

The gloves are not washable.

MEANS OF CONTROL

Refer to the ISO 9001 certificate.

When do bulk production, we shall pick up some gloves from each batch to test abrasion resistance and TDM cut resistance of EN 388, PAHs of EN ISO 21420 to control the quality.



INSTRUCTIONS FOR USE

CORTINA NV

MEERSBLOEM-MELDEN42, B-9700 OUDENAARDE BELGIUM ECO ALLFLEXDOT Glove reference : Article code: 1 ECO ALLFLEXDOT User notice index : 01 July 2024 EN ISO 21420 ANSI/ISEA Last update : EN388 105 CE li ₫ Glove description : A1 CAT.II 2 15 Gauges Recycled Nylon, Carbon Fibre Knitted Glove, Palm Coated Nitrile, Foam Surface with Size 9 4X31A Nitrile Dots This glove is a personal protective equipment belonging to the category II. 05/2024 O/310337 m It meets the requirements of the PPE Regulation 2016/425 : innocuousness, comfort, solidity. It has been subject to a UE-type Examination performed by : SAFETY JOGGER C.T.C. (0075) MEERSBLOEM-MELDEN 42. 4, rue Hermann Frenkel BE-9700 OUDENAARDE 69367 LYON Cedex 07 FRANCE The glove meets the requirements of the standard EN ISO 21420:2020 « Protective Gloves - General requirements and test methods ». Dexterity: 5

Available size range: 7; 8; 9; 10; 11

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B.

Information about marking

- « X »indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.
- « 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

CE The CE marking means that this product meets the requirements of the regulation 2016/425

Mechanical hazard - EN 388:2016 + A1:2018



Levels of performance

Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	Х	(on 5 maxi)
Tear resistance	esistance 3 (d	
Puncture resistance	1	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	А	(A to F)
Impact Protection		

Read carefully the instructions for use provided with the product

Protection limit :

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

Before use, the glove shall be visually inspected for any defect or imperfections. In case of deterioration, the gloves must be scrapped (abrasion, cut, tear...).

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

The levels of performance against mechanical risks are only valid for the palm of the glove.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises. The gloves are not washable.

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Declaration of conformity :

Available on : http://dw.safetyjogger.com/?dir=certificates/

